

Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021
Revision date 09.06.2015

Version 1.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name/designation** Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

## Sector of uses [SU]

Light curing resin for EnvisionTec's family Computer Aided Modeling Devices

## 1.3 Details of the supplier of the safety data sheet

## Importer/Only Representative

Envisiontec GmbH Brusseler str.. 51

Germany-D 45968 Gladbeck Telephone: +49204398750 E-mail: info@envisiontec.com

Information telephone: +49204398750

www.envisiontec.com

## 1.4 Emergency telephone number

This number is serviced during office hours.

#### **SECTION 2: Hazards identification**

## **Hazards description**

## Hazard designation:

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

#### 2.1 Classification of the substance or mixture

#### Additional information

No information available for acute dermal and inhalative toxicity

# Classification according to Regulation (EC) No 1272/2008 [CLP]

## health hazards

Skin Irrit. 2

#### hazard statements for health hazards

H315 Causes skin irritation.

#### health hazards

Eye Irrit. 2

## hazard statements for health hazards

H319 Causes serious eye irritation.

## health hazards

Skin Sens. 1



Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021 Revision date 09.06.2015

Version 1.3

#### hazard statements for health hazards

H317 May cause an allergic skin reaction.

#### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

# Hazard components for labelling

hexane-1,6-diol diacrylate

# **Hazard pictograms**



GHS07 **Signal word** Warning

#### **Hazard statements**

#### hazard statements for health hazards

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

## **Precautionary statements**

#### General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

## Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Disposal:

P501 Dispose of contents/container to industrial incineration plant.

## **Product identifiers**

hexane-1,6-diol diacrylate

Titanium Dioxide

## 2.3 Other hazards

#### Other adverse effects

People who suffer from skins problems, asthma, allergies, chronic or recurring respiratory illnesses must not be deployed in processes, which use this substance. Process vapours can irritate airways, skin and eyes.

## **SECTION 3: Composition / information on ingredients**

#### Additional information

Full text of H- and EUH-statements: see section 16.



Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021

Revision date 09.06.2015

Version 1.3

#### 3.1/3.2 Substances/Mixtures

**Hazardous ingredients** 

hexane-1,6-diol diacrylate 1 - 3 %

CAS 13048-33-4 EC 235-921-9

INDEX 607-109-00-8

Eye Irrit. 2, H319 / Skin Irrit. 2, H315 / Skin Sens. 1, H317

Titanium Dioxide 0.1 - 0.2 %

Acute Tox. 4, H302 / Acute Tox. 4, H312 / Acute Tox. 4, H332 / Skin Irrit. 2, H315 / Eye Irrit. 2, H319 / Resp. Sens. 1, H334 / STOT SE 3, H335

Acrylated monomer 30 - 70 %

Skin Irrit. 2, H315 / Eye Irrit. 2, H319

Acrylated oligomer 10 - 20 %

Skin Irrit. 2, H315 / Eye Irrit. 2, H319

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General information**

Change contaminated, saturated clothing.

#### Following inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. If breathing is irregular or stopped, administer artificial respiration.

## Following skin contact

Wash immediately with:

Water and soap

## After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## Following ingestion

If swallowed, immediately drink:

Water. Induce vomiting when the affected person is not unconscious.

## 4.2 Most important symptoms and effects, both acute and delayed

## **Symptoms**

No symptoms known up to now.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## Additional information

The product itself is not combustible. In case of fire and/or explosion do not breathe fumes.



Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021 Revision date 28.10.2021

Version 1.3

# 5.1 Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2)

Dry extinguishing powder.

Foam

Water spray

# 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

## Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

# Personal precautions

Wear personal protection equipment. Remove all sources of ignition.

## For emergency responders

#### Personal protection equipment

Use appropriate respiratory protection.

## 6.2 Environmental precautions

Do not empty into drains or the aquatic environment.

## 6.3 Methods and material for containment and cleaning up

#### For containment

#### Suitable material for taking up

Absorbing material, organic

Sand

#### 6.4 Reference to other sections

No data available

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Provide eye shower and label its location conspicuously

## **Protective measures**

#### Advices on safe handling

Avoid:

Skin contact



Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021 Revision date 09.06.2015

Version 1.3

Eye contact

Always close containers tightly after the removal of product.

## Measures to prevent fire

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

## **Environmental precautions**

See section 8.

# 7.2 Conditions for safe storage, including any incompatibilities

# Hints on joint storage

#### Materials to avoid

Materials to avoid

Oxidising agent

Strong alkali

**Alcohols** 

Reducing agent

## Storage class

No storage class

# Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place.

Recommended storage temperature:

Protect containers against damage.

## 7.3 Specific end use(s)

No data available

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

No data available

#### 8.2 Exposure controls

#### Appropriate engineering controls

# Structural measures to prevent exposure

Do not use under following temperatures:

Do not use above following temperatures:

# Personal protection equipment

## Eye/face protection

# Suitable eye protection

Eye glasses with side protection goggles

#### Skin protection

## Suitable gloves type

Disposable gloves



Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021 Revision date 09.06.2015

Version 1.3

Suitable material

NBR (Nitrile rubber)

**Body protection** 

Suitable protective clothing

Lab apron. Lab coat.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

**Appearance** 

**Physical state** 

liquid

Colour

light orange opaque

whitish

Odour

Acrylate

		parameter	Method - source - remark
vaporation rate			not determined
lelting point/freezing point			not determined
oiling point or initial boiling point nd boiling range	>100 °C		
ammability			not determined
pper explosion limit			not determined
ower explosion limit			not determined
lash point (°C)	>100 °C		
uto-ignition temperature			not determined
ecomposition temperature			not determined
Н	6.8 - 7.2	Temperature 25 °C	
oluble (g/L) in			Soluble in:
oluble (g/L) in			Insoluble in:
at solubility			not determined
Vater solubility			not determined



Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021 Revision date 09.06.2015

Version 1.3

		parameter	Method - source - remark
Partition coefficient: n-octanol/water			not determined
Vapour pressure	0.0018 mm Hg	Temperature 25 °C	
Vapour density			not determined
Relative density	1.08 - 1.12 g/cm <sup>3</sup>	Temperature 25 °C	
particle characteristics			not determined
Dynamic viscosity	100 - 300 mPa*s	Temperature 25 °C	
flow time			not determined
Kinematic viscosity			not determined

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No information available.

## 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3 Possibility of hazardous reactions

No information available.

#### 10.4 Conditions to avoid

In case of light influence:

Danger of polymerisation

## 10.5 Incompatible materials

#### Materials to avoid

Reacts with:

Oxidizing agents. Reducing agents. Peroxides.

Radical former

## 10.6 Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

Carbon dioxide

Carbon monoxide



Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021 Revision date 09.06.2015

Version 1.3

# **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

**Acute toxicity** 

**Acute dermal toxicity** 

ingredient Titanium Dioxide

Acute dermal toxicity >10000 mg/kg

**Effective dose** 

LD50:

Species:

Rat.

Acute oral toxicity

ingredient Titanium Dioxide

Acute oral toxicity >10000 mg/kg

**Effective dose** 

LD50:

Species:

Rat.

ingredient hexane-1,6-diol diacrylate

Acute oral toxicity >5000 mg/kg

Effective dose

LD50:

Species:

Rat.

Serious eye damage/irritation

In vitro eye test

slightly irritant

Species:

Rabbit.

Respiratory or skin sensitisation

Skin sensitisation

Assessment/classification

May cause sensitization by inhalation and skin contact.

## **SECTION 12: Ecological information**

12.1 Toxicity

**Aquatic toxicity** 

Acute (short-term) fish toxicity

ingredient Titanium Dioxide

Acute (short-term) fish toxicity >1000 mg/L



Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021 Revision date 09.06.2015

Version 1.3

**Effective dose** 

LC50:

Test duration =96 h

Acute (short-term) toxicity to crustacea

ingredient Titanium Dioxide

Acute (short-term) toxicity to crustacea >1000 mg/L

**Effective dose** 

EC50

Test duration =48 h

species

Daphnia magna (Big water flea)

ingredient Titanium Dioxide

Acute (short-term) toxicity to crustacea >1000 mg/L

Effective dose

EC0

Test duration =48 h

species

Daphnia magna (Big water flea)

## 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

#### Assessment/classification

not readily biodegradable (according to OECD criteria)

## 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**Directive 2008/98/EC (Waste Framework Directive)** 

Before intended use

## Appropriate disposal / Package

Handle contaminated packaging in the same way as the substance itself.

Waste code product 070208

hazardous waste Yes.

#### Waste name

other still bottoms and reaction residues



Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021
Revision date 09.06.2015

Version 1.3

#### After intended use

# **Appropriate disposal / Product**

Waste disposal according to official state regulations.

Waste code packaging 070208 hazardous waste Yes.

Waste name

other still bottoms and reaction residues

## **SECTION 14: Transport information**

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN-No.	not applicable	not applicable	not applicable
14.2 Proper Shipping Name	not applicable	not applicable	not applicable
14.3 Class(es)	not applicable	not applicable	not applicable
14.4 Packing group	not applicable	not applicable	not applicable
14.5 ENVIRONMENTALLY HAZARDOUS	not applicable	not applicable	not applicable
14.6 Special precautions for use	r not applicable	not applicable	not applicable
14.7 Maritime transport in bulk according to IMO instruments	not applicable	not applicable	not applicable

# Additional information - Land transport (ADR/RID)

#### remark

Not a hazardous material with respect to these transportation regulations.

# Additional information - Air transport (ICAO-TI / IATA-DGR)

#### remark

Not a hazardous material with respect to these transportation regulations.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

## 15.2 Chemical Safety Assessment

Irritant

## **SECTION 16: Other information**

## **Additional information**

Observe labels and safety data sheets for chemicals used in processing. Notice the directions for use on the label.



Photopolymer E-Denstone Series (includes E-Denstone, E-Denstone M, E-Denstone 3SP Peach, E-Denstone Ivory, E-Denstone Ivory M, E-Denstone Tough M, E-Denstone 3SP Tough)

Print date 28.10.2021 Revision date 09.06.2015

Version 1.3

# Relevant R-, H- and EUH-phrases (Number and full text)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

## Key literature references and sources for data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.